

07/28/00



07-31-00

A

COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of Inventor: **Nicolas Javier DiPrinzio**
For: **MAGNETIC PAGE MARKER**

Enclosed are:

- 3 sheets of formal drawings.
- An assignment of the invention to _____
- A certified copy of a priority application filed in Argentina as Serial No. P 99 01 03755 on July 29, 1999.
- A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27.
- Declaration

The filing fee has been calculated as shown below:

(Col. 1)		(Col. 2)	SMALL ENTITY		or	OTHER THAN A SMALL ENTITY	
FOR:	NO. FILED	NO. EXTRA	RATE	FEE		RATE	FEE
BASIC FEE				\$ 345	or		\$ 690
TOTAL CLAIMS	19-20=	* 0	x11=	\$	or	x22=	
INDEP CLAIMS	1-3=	* 0	x40=		or	x78=	
○ MULTIPLE DEPENDENT CLAIM PRESENTED			\$ 135		or	\$ 270	
			TOTAL	\$345	or	TOTAL	\$

*If the difference in Col. 1 is less than zero, enter "0" in Col. 2

- Please charge my Deposit Account No. _____ the amount of \$ _____. A duplicate copy of this sheet is enclosed.
- A check in the amount of \$ 345.00 to cover the filing fee is enclosed.
- The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 05-1060. A duplicate copy of this sheet is enclosed.
 - Any additional filing fees required under 37 CFR 1.16.
 - Any patent application processing fees under 37 CFR 1.17.
- The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 05-1060. A duplicate copy of this sheet is enclosed.
 - Any patent application processing fees under 37 CFR 1.17.
 - The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).
- Any filing fees under 37 CFR 1.16 for presentation of extra claims.

Respectfully submitted,

Paul L. Brown 27,184
Paul L. Brown Reg. No. 27,184

Dated: July 28, 2000
EMRICH and DITHMAR
300 South Wacker Drive, Suite 3000
Chicago, Illinois 60606
Telephone: (312) 663-9800
Telecopier: 312-663-9822

I Heraby Certify That This Correspondence is Being Deposited With The

United States Postal Service As Express Mail No. EL55056252945
Addressed To: Assistant Commissioner for Patents, Washington, D.C.

20231 On July 28, 2000
Date: 7-28-00 Gasque-Gause

jc886 U.S. PTO
09/628146
07/28/00

09628146 072800

Applicant or Patentee: Nicolas Javier DiPrinzio Attorney's
Serial or Patent No.: _____ Docket No.: 102
Filed or Issued: _____
For: MAGNETIC PAGE MARKER

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS {37 CFR 1.9(f) and 1.27(b)}--INDEPENDENT INVENTOR**

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled described in

☒ the specification filed herewith
☐ application serial no. _____, filed _____
☐ patent no. _____, issued _____

I have not assigned, granted, conveyed or licensed an am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if the person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under and obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

☒ no such person, concern, or organization
☐ persons, concerns or organizations listed below*

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)


FULL NAME Nicolas Javier DiPrinzio
ADDRESS 20 De Junio 569 Quilmes, Buenos Aries, Argentina 1879
☒ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____
ADDRESS _____
☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME _____
ADDRESS _____
☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. {37 CFR 1.28(b)}

I hereby declare that all statements made herein of my own knowledge are true and that all statements mode on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Nicolas Javier DiPrinzio
NAME OF INVENTOR NAME OF INVENTOR NAME OF INVENTOR

Signature of Inventor Signature of Inventor Signature of Inventor
21 JULIO, 2000
Date Date Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

MAGNETIC PAGE MARKER

Inventor: Nicolas Javier DiPrinzio

I Hereby Certify That This Correspondence is Being Deposited With The

United States Postal Service As Express Mail No. E1550562529 US

Addressed To: Assistant Commissioner for Patents, Washington, D.C.

20231 On July 28, 2000

Date: 7-28-00 Jacqueline Gause

I- Background of the Invention

Field of the invention

The present invention consists of a **magnetic page marker** which applied to books or notebooks, allows to place the marker on the page without opening the clips formed by its laminar walls where there are magnetic means with a cover for each of them.

Description of the prior art

The use of bookmarks, also called markers, is very well known to identify a book or notebook page where the reader has stopped reading, and where he wishes to come back later readily.

The simplest conventional bookmarks are elongated laminar sheets placed between the page intended to mark and the immediately prior or next one, so that it is held between both pages and with one of its ends projecting out from the set of pages, once the book or notebook has been closed.

This type of bookmarks present numerous disadvantages. One of them is that, if several pages are intended to be marked by using several bookmarks, upon closing the book, said bookmarks will remain overlapped, making the access to the different marked pages difficult.

003270 9482960

Another disadvantage is that, as the bookmark is held by the pages by binding it, upon opening the book, it usually drops.

Australia Patent N° AU-A-47866/90 refers to a bookmark made of two magnetic elements whose respective supports are joined by a flexible means. The latter has the disadvantage of complicating the operation of placing it on the page because, until the magnetic elements stay well opposite each other, the bookmark is not fixed and may drop from the reader's hands.

South Africa Patent N° 95/8805 refers to a bookmark consisting of a pair of pieces, each of them provided with the respective magnetic elements and joined by a hinge, so that the book page lies between both pieces. In this case, the hinge is indispensable because, if a marker were placed closed (with its magnetic elements in contact), the book page would meet resistance to penetrate.

One of these difficulties may be due to a very thin page which cannot separate the magnetic elements in order to penetrate between them. The other difficulty that occurs is that the page edge impinges against the prominent edges of the magnetic means.

II- Summary of the invention

[illegible][illegible][illegible][illegible][illegible][illegible]

At the joint area between the laminar walls there may be a tab so that, once the bookmark is applied, it projects out of the pages heap and facilitates marking.

Longitudinal edges of the laminar walls or, eventually, openings are used as line markers on the page marked.

Ornamental type openings may also be included.

The laminar walls may also work as support for electronic devices with displays, such as flat clocks, thermometers, or calculators.

III- Description of the drawings

For the purpose of clarity and better understanding of the object of the invention, several drawings illustrate it wherein it has been represented in its preferred embodiments, only in an illustrative, but not limiting manner:

Figure 1 is a perspective view illustrating the way the bookmark is placed on the edge of the page.

Figure 2 is a front view of the bookmark already introduced on the edge of the page. It can be appreciated the surface of the longer laminar wall which serves to apply advertising or ornamental prints. It can be seen how

003270" 54782960

[illegible]

060907Z APR 84

060907Z APR 84

060907Z APR 84

060907Z MAR 80

[illegible]

060907Z JUL 80

- 060907Z APR 84**

wall (5).

(5) Longer laminar wall

(5') Surface of the longer laminar wall (5) to apply graphic advertising or ornamental prints.

(6) Page of a book to which the bookmark is applied.

(6') Edge of the page (6) clasped by the bookmark clip

(1)

(7) Joint between both laminar walls (2)(5).

(7') Tab jutting out from the joint (7).

(8) Prominent edges of the magnetic means (3) (4).

(9) Cover which covers the prominent edges (8).

(10) Longitudinal edges of the longer laminar wall (5) which serve to mark the lines on the page (6).

(11) Cutting from which the tab is formed (7).

IV- Detailed description

Figure 1 shows the bookmark comprised by a pair of adjacent laminar walls (2)(5), which have a joint (7) on one end and on the opposite end they form a clip (1) dedicated to clasp the edge (6') of the page (6). Into the clip (1) there are two magnetic means (3)(4) having a mutual attraction force.

Figure 2 shows the longer laminar wall (5) whose large surface (5') can be used to apply graphic prints such as advertising messages or ornaments and whose longitudinal edge (10) is a line marking means. At the joint (7) between

008270" 94T82960

both walls (2)(5) a tab (7') juts out outstanding notoriously from the edge (6') of the page (6).

Figure 3 shows how the edge (6') of the page (6) is inserted into the clip (1) formed by the laminar walls (2) (5) and the magnetic means (2)(5) with the cover (9).

Figure 3A shows an exploded view of Figure 3, wherein it can be seen in detail the first magnetic means (3) fixed to the shorter laminar wall (2) and to the second laminar wall (4) fixed to the longer laminar wall (5). Both magnetic means (3)(4) are covered by the cover (9), particularly its prominent edges (8). Therefore, the above mentioned cover (9) prevents the impingements between the page (6) and said prominent edges (8), facilitating the entrance thereof (6) into the clip (1).

Figure 4 shows the longer laminar wall (5), whose longitudinal edges (10) serve as line marking means and from one of its transverse edges the tab juts out (7').

In Figure 5, the cut shows the shorter laminar wall (2) which, in the inner part of the clip (1), has the first magnetic means fixed (3) above which there is the cover (9) [in this case, it is transparent]. The cutting (11) on the transverse edge results from the cut with which the tab is formed (7').

In the present embodiment, the adjacent laminar walls (2)(5) are formed by a laminar sheet folded by means of a folding line which separates one wall respect the other.

008270 943960

The cover (9) may be transparent or not, and, in addition, it may be made of different materials, such as a layer of plastic or cellulosic material.

Operation

The clip (1) formed by laminar walls (2)(5) remains closed due to the mutual attraction force exerted by the magnetic means (3)(4), the page (6) being clasped in between them, such as it can be seen in Figures 1 and 2.

When introducing the bookmark on the edge (6') of the page (6), the entrance of the latter (6) is facilitated by the presence of the cover (9). This is due to the fact that said cover (9) facilitates the page sliding (6) and prevents the impingement between the edge (6') of the page) and the prominent edges (8) of the magnetic means (3)(4), as it can be observed in Figures 3, 3A and 5.

The joint (7) between the shorter walls (2)(5) acts as the stop of the page (6) admission into the clip (1). Therefore, the tab (7') is the element which outstands most from the pages (6) once the bookmark is placed, as can be seen in Figures 2, 3 and 4.

09628146.072800

I Claim:

1. A magnetic clip marker for use in engaging and marking a page of a book, the clip marker including in combination:

a pair of wall members aligned and joined together, with said pair of wall members comprised of a base portion and a clip portion overlapping said base portion to define a throat therebetween and structurally arranged to receive a page of a book between said base and said clip portions;

magnetic members aligned with respect to one another and mounted to the base portion and said clip portion to permit contact therebetween; and

a cover member covering said magnetic members on said overlapping base portion and said clip portion to permit the page of the book to be readily received within said throat of the clip marker.

2. The magnetic clip marker in accordance with claim 1, wherein at least one of the external surfaces of the page marker opposite said throat opening provides an application surface for graphic prints.

3. The magnetic clip marker in accordance with claim 1, wherein a signaling tab member extends outwardly from the joined pair of wall members.

5. The magnetic clip marker in accordance with claim 1, wherein said cover member constitutes a guiding means for the admission of the edge of the page into said throat of the clip marker.

7. The magnetic clip marker in accordance with claim 1, wherein said cover member is a film made of plastic material.

9. The magnetic clip marker in accordance with claim 1, wherein said pair of wall members are rectangular.

11. The magnetic clip marker in accordance with claim 9, wherein at least one of the edges of said pair of wall member is transverse to said junction therebetween to form a line signaling member on the page of the book.

12. The magnetic clip marker in accordance with claim 1, wherein one of said base portion or said clip portion has a length greater than the other.

13. The magnetic clip marker in accordance with claim 1, wherein at least one of said base portion or said clip portion includes an opening to provide a line identification on the page of a book.

14. The magnetic clip marker in accordance with claim 13, wherein said opening is in the form of an ornamental design.

15. The magnetic clip marker in accordance with claim 1, wherein at least one of the external surfaces of the page marker opposite said throat opening includes an electronic information display device attached thereto.

16. The magnetic clip marker in accordance with claim 1, wherein at least one of the external surfaces of the page marker opposite said throat opening includes an outer cover member.

17. The magnetic clip marker in accordance with claim 1, wherein said base portion and said clip portion include wedge members structurally arranged to cooperate with said magnetic members to permit the page of the book to be readily received within said throat of the clip marker.

18. The magnetic clip marker in accordance with claim 1, wherein at least one of the external surfaces of the clip marker provide an application surface for an embossment.

19. The magnetic clip marker in accordance with claim 1, wherein said pair of wall members are aligned and joined at one end thereof to define said throat therebetween.

V- Abstract

The present invention consists of a **magnetic page marker** comprised by a pair of laminar walls which form a clip applicable to the edge of the page that is intended to mark. Into the clip, there is a pair of magnetic means which clasp said page, whose admission into the clip is facilitated by an inner cover. The bookmark has a signalling tab which jutting out notoriously respect the edges of the pages.

008270" 9482960

Fig. 1




Fig. 2




Fig. 3




Fig. 3 A




Fig. 4





Fig. 5

009220" 94182960

DECLARATION/POWER OF ATTORNEY FOR PATENT APPLICATION

Docket No.: 102

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled:

MAGNETIC PAGE MARKER

the specification of which is attached hereto and which was previously filed as Provisional Application No. _____ in the United States Patent Office on _____ 1999.

I hereby state that I have reviewed and understand the contents of the above identified specification.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Filed on July 29, 1999 in Argentina as Serial No. P99 01 03755

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below

_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status-panted, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status-panted, pending, abandoned)

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Paul L. Brown (Registration No. 27,184); Thomas E. Hill (Registration No. 28,955); James J. Hill (Registration No. 24,287); Harold V. Stotland (Registration No. 24,492), Harry M. Levy (Registration No. 24,248), J. Terry Stratman (Registration No. 25,165); Howard S. Fuhrman (Registration No. 33,175); Jonathan J. Krit (Registration No. 37,164) and William J. Hallihan (Registration No. 38,210).

Address all telephone calls to Paul L. Brown at telephone no. (312) 663-9800.

Address all correspondence to Paul L. Brown, Esq.
Emrich & Dithmar
300 South Wacker Drive--Suite 3000
Chicago, Illinois 60606

00628146 072800

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such will false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: Nicolás Javier Di Prinzio

Inventor's signature [Signature] Date 21 JULIO, 2000

Residence: 20 DE JUNIO 569 Quilmes Citizenship: _____

Buenos Aries, Argentina, 1879

Post Office Address: SAME

09623145 "072800